



## **Nicolet Condensed Phase Academic Sampler**

### *Library Listing – 1,000 spectra*

This high resolution format library is suited to the needs of academic institutions and small QC labs. Chosen by chemistry professors from many disciplines, it includes spectra of chemicals used in a wide range of common laboratory experiments.

The Nicolet Condensed Phase Academic Sampler includes 1,000 spectra of common chemicals representing the major functional groups and combinations of functional groups which are most likely to be observed in academic chemistry laboratories. These chemicals are also important building blocks commonly found in industrial applications.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
353	(+)-2-Phenyl-1-propanol, 97%	164	1,2,4,5-Tetramethylbenzene, 98%
768	(+)-4-Cholesten-3-one	161	1,2,4-Trimethylbenzene, 99+%
290	(+)-a-Lactose	254	1,2-Butanediol, 98%
262	(+)-b-Citronellol, 95%	499	1,2-Diaminopropane, 99%
344	(+/-)-1-Phenyl-1-propanol, 99%	128	1,2-Dibromoethylene, 98%, (Z) + (E)
101	(+/-)-2-Bromopentane, 97%	106	1,2-Dichloroethane, 99+%
228	(+/-)-2-Butanol, 99%	110	1,2-Dichloropropane, 99%
233	(+/-)-2-Heptanol, 96%	258	1,2-Pentanediol, tech., 95%
402	(+/-)-Camphor, 97%	550	1,2-Phenylenediamine, 98%
553	(+/-)-Epinephrine, 99%	77	1,3,5,7-Cyclooctatetraene, 98%
280	(+/-)-Isoborneol, 85%	45	1,3,5-Hexatriene
706	(+/-)-Warfarin, 98%	74	1,3-Cycloheptadiene, 97%
648	(+/-)-sec-Butyl acetate, 99%	72	1,3-Cyclohexadiene, 96%
490	(+/-)-sec-Butylamine, 99%	388	1,3-Cyclohexanedione, 97%
279	(-)-Borneol, ((1S)-endo)-, 99%	386	1,3-Cyclopentanedione, 97%
422	(-)-Citronellal, 99%	498	1,3-Diaminopropane, 99%
718	(-)-L-Alanyl-L-alanine	107	1,3-Dichloropropane, 99%
397	(-)-Menthone, 90+%, mixture of isomers	494	1,3-Dimethylbutylamine, 98%
719	(-)-N-Acetyl-L-glutamic acid	41	1,3-Hexadiene, 99%, (E) + (Z)
891	(1,5-Cyclooctadiene)platinum(II) chloride, 98%	253	1,4-Butanediol, 99%
403	(1R)-(+)-Camphor	73	1,4-Cyclohexadiene, 97%
79	(1R)-(+)-a-Pinene, 98%	500	1,4-Diaminobutane, 99%
275	(1R,2S,5R)-(-)-Menthol	108	1,4-Dichlorobutane, 97%
80	(1S)-(-)-b-Pinene, 98%	944	1,4-Dioxane, 99+%
159	(2.2)Paracyclophane	42	1,4-Hexadiene, 99%, (E) + (Z)
126	(E)-1,2-Dichloroethylene, 98%	456	1,4-Naphthoquinone, 97%
31	(E)-2-Heptene, 99+%	75	1,5-Cyclooctadiene, 99+%
29	(E)-2-Hexene, 99+%	495	1,5-Dimethylhexylamine, 98%
27	(E)-2-Pentene, 99%	44	1,5-Hexadiene, 98%
32	(E)-3-Heptene, 99%	257	1,5-Pentanediol, 99%
30	(E)-3-Hexene, 99+%	885	1-(Chloromercuri)ferrocene, 97%
973	(E)-Anethole, 99%	513	1-Adamantanamine, 97%
458	(E)-Cinnamaldehyde, 99+%,	281	1-Adamantanol, 99%
596	(E)-Cinnamic acid, 97%	91	1-Bromobutane, 99%
40	(E)-Piperylene, 98%	95	1-Bromohexane, 98%
423	(E)-Retinal, 95%	93	1-Bromopentane, 99%
581	(E)-Retinoic acid	88	1-Bromopropane, 99%
177	(E)-Stilbene, 96%	210	1-Butanol, 99+%
84	(E)-b-Carotene	102	1-Chloro-2-methylpropane, 98%
68	(R)-(+)-Limonene, 97%	125	1-Chloro-2-methylpropene, 98%
406	(R)-(+)-Pulegone, tech., 85%	803	1-Chloro-2-nitrobenzene, 99+%
407	(R)-(-)-Carvone, 98%	809	1-Chloro-3-nitrobenzene, 98%
252	(S)-(+)-1,2-Propanediol	814	1-Chloro-4-nitrobenzene, 99%
127	(Z)-1,2-Dichloroethylene, 97%	90	1-Chlorobutane, 99%
28	(Z)-2-Pentene, 99%	96	1-Chloroheptane, 97%
63	(Z)-Cyclodecene, 99+%	94	1-Chlorohexane, 99%
39	(Z)-Piperylene, 98%	205	1-Chloronaphthalene, 99%
176	(Z)-Stilbene, 97%	87	1-Chloropropane, 99%
438	1'-Acetonaphthone, 70%	24	1-Decene, 96%
113	1,1,1-Trichloroethane, uninhibited, 99%	216	1-Dodecanol, 98%
115	1,1,2,2-Tetrachloroethane	25	1-Dodecene, 95%
109	1,1-Dichloroethane	213	1-Heptanol, 98%
347	1,1-Diphenylethanol	21	1-Heptene, 99+%
796	1,10-Phenanthroline, 99+%	20	1-Hexene, 99%
165	1,2,3,4-Tetramethylbenzene, 95%	824	1-Hexyne, 99%
163	1,2,3,5-Tetramethylbenzene, tech., 85+%	92	1-Iodobutane, 99%
114	1,2,3-Trichloropropane, 99+%	89	1-Iodopropane, 99%
160	1,2,3-Trimethylbenzene, tech., 90%	65	1-Methyl-1-cyclohexene, 97%
		64	1-Methyl-1-cyclopentene, 96%
		268	1-Methylcyclohexanol, 96%

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
482	1-Naphthaldehyde, 97%	335	2,5-Di-t-butylhydroquinone, 97%
336	1-Naphthol, 99+%	323	2,5-Dichlorophenol, 98%
799	1-Nitropropane, 98%	632	2,5-Dihydroxybenzoic acid, 99%
215	1-Nonanol, 97%	477	2,5-Dimethoxybenzaldehyde, 97%
23	1-Nonene, 99%	46	2,5-Dimethyl-2,4-hexadiene, 99%
214	1-Octanol, 99%	475	2,5-Dimethylbenzaldehyde, 99%
22	1-Octene, 97%	629	2,5-Dimethylbenzoic acid, 98%
211	1-Pentanol, 99%	14	2,5-Dimethylhexane, 99%
19	1-Pentene, 99+%	320	2,5-Dimethylphenol, 99+%
823	1-Pentyne, 99+%	782	2,5-Lutidine, 96%
170	1-Phenyl-1-cyclohexene, 97%	313	2,6-Dichlorophenol, 99%
832	1-Phenyl-1-propyne, 99%	624	2,6-Dimethoxybenzoic acid, 99%
426	1-Phenyl-2-butanone, 98%	314	2,6-Dimethoxyphenol, 99%
352	1-Phenyl-2-propanol, 99%	970	2,6-Dimethylanisole, 98%
209	1-Propanol, 99+%	622	2,6-Dimethylbenzoic acid, 97%
945	12-Crown-4, 98%	274	2,6-Dimethylcyclohexanol, 99%, mixture of isomers
946	18-Crown-6, 99%	396	2,6-Dimethylcyclohexanone, 99%, mixture of isomers
770	1a-Methyltestosterone	312	2,6-Dimethylphenol, 99.8+%
439	2'-Acetonaphthone, 99%	779	2,6-Lutidine, 99%
443	2'-Methoxyacetophenone, 99%	603	2-Acetylbenzoic acid, 99%
435	2'-Methylacetophenone, 98%	282	2-Adamantanol
15	2,2,3-Trimethylbutane, 99+%	401	2-Adamantanone, 99%
16	2,2,4-Trimethylpentane, 99%	552	2-Amino-1-phenylethanol, 98%
930	2,2-Dimethoxypropane, 98%	496	2-Aminoheptane, 99%
241	2,2-Dimethyl-3-pentanol, 97%	787	2-Aminonicotinic acid, 98%
11	2,2-Dimethylpentane, 99+%	540	2-Aminophenol, 99%
17	2,3,4-Trimethylpentane, 99%	538	2-Bromoaniline, 98%
327	2,3,6-Trimethylphenol	99	2-Bromobutane, 98%
741	2,3,7,8,12,13,17,18-Octaethyl-21H,23H- porphine iron(III) chloride	97	2-Bromopropane, 99%
255	2,3-Butanediol	122	2-Bromopropene, 99%
382	2,3-Butanedione	195	2-Bromotoluene, 98%
311	2,3-Dichlorophenol, 98%	358	2-Butanone, 99+%
623	2,3-Dimethoxybenzoic acid, 99%	263	2-Butene-1,4-diol, 97% (Z)
246	2,3-Dimethyl-2-butanol, 99+%	933	2-Butoxyethanol, 99+%
249	2,3-Dimethyl-3-pentanol, 99%	826	2-Butyn-1-ol, 98%
621	2,3-Dimethylbenzoic acid, 99%	822	2-Butyne, 99%
10	2,3-Dimethylbutane, 97%	829	2-Butyne-1,4-diol, 99%
13	2,3-Dimethylpentane, 99+%	120	2-Chloro-2-butene, (Z) + (E)
310	2,3-Dimethylphenol, 97%	100	2-Chloro-2-methylpropane, 99%
383	2,3-Pentanedione, 97%	626	2-Chloro-3-nitrobenzoic acid, 99%
226	2,4,4-Trimethyl-1-pentanol, 98%	634	2-Chloro-4-nitrobenzoic acid, 95%
37	2,4,4-Trimethyl-1-pentene, 99%	637	2-Chloro-5-nitrobenzoic acid, 97%
38	2,4,4-Trimethyl-2-pentene, 98%	461	2-Chlorobenzaldehyde, 97%
784	2,4,6-Collidine, 99+%	600	2-Chlorobenzoic acid, 98%
549	2,4,6-Tri-t-butylaniline, 99%	283	2-Chloroethanol, 99%
328	2,4,6-Trimethylphenol, 99%	121	2-Chloropropene, 98%
322	2,4-Dichlorophenol, 99%	202	2-Chlorostyrene, 98%
480	2,4-Dihydroxybenzaldehyde, 98%	194	2-Chlorotoluene, 98%
476	2,4-Dimethoxybenzaldehyde, 98%	405	2-Cyclopentenone, 98%
630	2,4-Dimethoxybenzoic acid, tech.	932	2-Ethoxyethanol, 99+%
242	2,4-Dimethyl-3-pentanol, 99+%	222	2-Ethyl-1-butanol, 98%
366	2,4-Dimethyl-3-pentanone, 98%	413	2-Ethylbutyraldehyde, 92+%
628	2,4-Dimethylbenzoic acid, 98%	269	2-Ethylcyclohexanol, 99%, cis + trans
319	2,4-Dimethylphenol, 97%	745	2-Ethylfuran, 97%
820	2,4-Dinitroaniline, 96%	297	2-Ethylphenol, 99%
819	2,4-Dinitrophenol	774	2-Ethylpyridine, 97%
43	2,4-Hexadiene, 99%, mixture of isomers	148	2-Ethyltoluene, 99%
780	2,4-Lutidine, 96+%	746	2-Furaldehyde, 99%
385	2,4-Pentanedione, 99+%,		

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
370	2-Heptanone, 98%	316	3,5-Dichlorophenol, 99%
231	2-Hexanol, 99%	640	3,5-Dihydroxybenzoic acid, 97%
368	2-Hexanone, 99+%	639	3,5-Dimethoxybenzoic acid, 99%
429	2-Indanone, 98%	317	3,5-Dimethoxyphenol, 99%
98	2-Iodopropane, 97%	972	3,5-Dimethylanisole, 99+%
931	2-Methoxyethanol, 99%	638	3,5-Dimethylbenzoic acid, 99%
921	2-Methoxyethyl ether, 99%	315	3,5-Dimethylphenol, 99+%
941	2-Methoxytetrahydrofuran, 99%	783	3,5-Lutidine, 98+%
387	2-Methyl-1,3-cyclopentanedione, 98%	547	3-Amino-o-cresol, 95%
219	2-Methyl-1-butanol, 99+%	608	3-Aminobenzoic acid, 99+%
33	2-Methyl-1-butene, 99%	785	3-Bromopyridine, 99%
223	2-Methyl-1-pentanol, 95%	198	3-Bromotoluene, 99%
36	2-Methyl-1-pentene, 97%	261	3-Buten-1-ol, 99%
217	2-Methyl-1-propanol, 99%	828	3-Butyn-1-ol, 97%
35	2-Methyl-2-butene, 99+%	830	3-Butyn-2-one, 99%
250	2-Methyl-2-hexanol, 97%	123	3-Chloro-1-butene, 98%
247	2-Methyl-2-pentanol, 99+%	381	3-Chloro-2-butanone, tech., 95%
243	2-Methyl-2-propanol, 99.5%	124	3-Chloro-2-methylpropene tech., 90%
239	2-Methyl-3-pentanol, 99+%	625	3-Chloro-2-nitrobenzoic acid, 99%
365	2-Methyl-3-pentanone, 97%	466	3-Chlorobenzaldehyde, 98%
744	2-Methylfuran, 99%	606	3-Chlorobenzoic acid, 99+%
8	2-Methylpentane, 99+%	203	3-Chlorostyrene, 99%
942	2-Methyltetrahydrofuran	197	3-Chlorotoluene
337	2-Naphthol, 99%	934	3-Ethoxy-1-propanol, 97%
806	2-Nitroaniline, 98%	301	3-Ethylphenol, 99%
805	2-Nitroanisole, 99%	777	3-Ethylpyridine, 99%
464	2-Nitrobenzaldehyde, 98%	152	3-Ethyltoluene, 99%
804	2-Nitrophenol	371	3-Heptanone, 98%
800	2-Nitropropane, 94%	232	3-Hexanol, 99%
802	2-Nitrotoluene, 99+%	369	3-Hexanone, 98%
235	2-Nonanol, 99%	220	3-Methyl-1-butanol, 98%
375	2-Nonanone, 99+%	34	3-Methyl-1-butene, 95%
234	2-Octanol, 98%	66	3-Methyl-1-cyclohexene, 99%
373	2-Octanone, 95%	224	3-Methyl-1-pentanol, 99%
229	2-Pentanol, 99+%	236	3-Methyl-2-butanol, 98%
360	2-Pentanone, 97%	361	3-Methyl-2-butanone, 99%
26	2-Pentene, 99%, (E) + (Z)	237	3-Methyl-2-pentanol, 99%
343	2-Phenyl-2-propanol, 97%	363	3-Methyl-2-pentanone, 99%
427	2-Phenylcyclohexanone, 98%	248	3-Methyl-3-pentanol, 99%
338	2-Phenylphenol, 99+%	9	3-Methylpentane, 99+%
591	2-Phenylpropionic acid, 98%	851	3-Methylsulfolene
227	2-Propanol, 99+%	448	3-Nitroacetophenone, 95%
827	2-Propyn-1-ol; Propargyl alcohol, 97%	811	3-Nitroanisole, 99%
775	2-Vinylpyridine, 97%	468	3-Nitrobenzaldehyde, 99%
270	2-t-Butylcyclohexanol, 99%, mixture of isomers	609	3-Nitrobenzoic acid, 99%
392	2-t-Butylcyclohexanone, 97%	810	3-Nitrophenol, 99%
298	2-t-Butylphenol, 99+%	808	3-Nitrotoluene, 99%
444	3'-Methoxyacetophenone, 99%	374	3-Octanone, 99%
437	3'-Methylacetophenone, 98%	230	3-Pentanol, 98%
221	3,3-Dimethyl-1-butanol, 99%	362	3-Pentanone, 99%
12	3,3-Dimethylpentane, 99%	355	3-Phenyl-1-butanol, 99%
318	3,4-Dichlorophenol, 99%	354	3-Phenyl-1-propanol, 98%
478	3,4-Dimethoxybenzaldehyde, 99%	339	3-Phenylphenol, 98%
631	3,4-Dimethoxybenzoic acid, 99+%	776	3-Picoline, 99%
325	3,4-Dimethoxyphenol, 97%	481	3,5-Dimethoxybenzaldehyde, 98%
971	3,4-Dimethylanisole, 99%	447	4'-Aminoacetophenone, 99%
627	3,4-Dimethylbenzoic acid, 98%	442	4'-Bromoacetophenone, 98%
781	3,4-Lutidine, 98%	445	4'-Methoxyacetophenone, 98%
329	3,5-Di-t-butyl-4-hydroxyanisole, 97%	440	4'-Methylacetophenone, tech., 90%
		240	4,4-Dimethyl-2-pentanol, 99%

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
367	4,4-Dimethyl-2-pentanone, 99%	765	5a-Cholestan-3-one, 97%
731	4-Acetamidobenzoic acid, 98%	762	5b-Pregnane-3a,20a-diol, 99%
730	4-Acetamidophenol, 98%	791	8-Hydroxyquinoline, 99+%
618	4-Acetylbenzoic acid	186	9,10-Dimethylantracene, 99%
548	4-Amino-o-cresol, 97%	206	9-Chloroanthracene, 97%
616	4-Aminobenzoic acid, 99%	454	9-Fluorenone, 98%
546	4-Aminophenol, 98+%	351	9-Hydroxyfluorene, 97+%
308	4-Bromophenol, 99%	183	Acenaphthene, 99%
201	4-Bromotoluene, 98%	184	Acenaphthylene, 95%
284	4-Chloro-1-butanol, 97%	927	Acetaldehyde diethyl acetal; Acetal, 99%
633	4-Chloro-2-nitrobenzoic acid, 97%	926	Acetaldehyde dimethyl acetal, 99%
635	4-Chloro-3-nitrobenzoic acid, 99+%	409	Acetaldehyde, 99%
441	4-Chloroacetophenone, 97%	866	Acetaldehyde-d, 98+%
969	4-Chloroanisole, 99%	867	Acetaldehyde-d4, 99+ atom % D
470	4-Chlorobenzaldehyde, 97%	710	Acetamide, 99+%
613	4-Chlorobenzoic acid, 99%	729	Acetanilide, 97%
453	4-Chlorobenzophenone, 99%	560	Acetic acid, glacial 99.8%
307	4-Chlorophenol, 99+%	947	Acetic acid, sodium salt, anhydrous, 99+%
204	4-Chlorostyrene, 99%	686	Acetic anhydride, 99+%
200	4-Chlorotoluene, 98%	530	Acetone cyanohydrin, 99%
272	4-Ethylcyclohexanol, 99%, cis + trans	357	Acetone, 99+%
394	4-Ethylcyclohexanone, 97%	865	Acetone-d6, 99.5%
303	4-Ethylphenol, 99%	524	Acetonitrile, 99%
155	4-Ethyltoluene, 98%	384	Acetylacetone, 97%
856	4-Fluorobenzenesulfonyl chloride, 98%	431	Acetophenone, 99%
372	4-Heptanone, 98%	960	Acetyl bromide
472	4-Hydroxybenzaldehyde, 98%	959	Acetyl chloride, 98%
615	4-Hydroxybenzoic acid, 99+%	680	Acetylcholine chloride, 97%
378	4-Methoxy-3-buten-2-one, tech., 90%	882	Acetylferrocene, 95%
350	4-Methoxybenzyl alcohol, 98%	704	Acetylsalicylic acid, 99%
309	4-Methoxyphenol, 98%	793	Acridine
67	4-Methyl-1-cyclohexene	794	Acridine Orange base
225	4-Methyl-1-pentanol, 99%	418	Acrolein, 97%
238	4-Methyl-2-pentanol, 99+%	712	Acrylamide, 99+%
364	4-Methyl-2-pentanone, 99.5%	575	Acrylic acid
968	4-Methylanisole, 99%	528	Acrylonitrile, 99+%
349	4-Methylbenzyl alcohol, 98%	962	Acryloyl chloride, 98%, stabilized
271	4-Methylcyclohexanol, trans-, 97%	58	Adamantane, 99+%
393	4-Methylcyclohexanone, 98%	760	Adenine, 99%
817	4-Nitroaniline, 99+%	574	Adipic acid, 99+%
815	4-Nitroanisole	672	Allyl acetate, 99%
473	4-Nitrobenzaldehyde, 99%	259	Allyl alcohol, 99%
617	4-Nitrobenzoic acid, 99+%	119	Allyl bromide, 99%
816	4-Nitrophenol, 98%	118	Allyl chloride, 99%
813	4-Nitrotoluene, 99%	924	Allyl ether, 99%
825	4-Octyne, 99%	514	Allylamine, 98%
428	4-Phenylcyclohexanone, 98+%	169	Allylbenzene, 98%
340	4-Phenylphenol, 97%	902	Ammonium carbonate
175	4-Phenyltoluene, 98%	906	Ammonium metavanadate, 99.999%
778	4-Picoline, 98%	909	Ammonium molybdate(VI) .4H2O
304	4-Propylphenol, 99%	897	Ammonium nitrate
469	4-Tolualdehyde, 97%	650	Amyl acetate, 99%
306	4-t-Amylphenol	486	Amylamine, 99%
611	4-t-Butylbenzoic acid, 99%	144	Amylbenzene, 97%
273	4-t-Butylcyclohexanol, mixture of isomers	766	Androsterone, 97%
395	4-t-Butylcyclohexanone, 99%	532	Aniline, 99.5+%
305	4-t-Butylphenol, 99%	964	Anisole, 99%
158	4-t-Butyltoluene, 99+%	185	Anthracene, 99.9%
636	5-Chloro-2-nitrobenzoic acid, 99%		

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
455	Anthrone	81	Camphene, 95%
833	Azobenzene, 99%	849	Carbon disulfide, 99+%
180	Azulene, 99%	112	Carbon tetrachloride, 99%
728	Barbituric acid, 98%	330	Catechol, 99+%
898	Barium sulfate, 99.999%	449	Chalcone, 97%
192	Benzal bromide, 97%	583	Chloroacetic acid, 99%
978	Benzaldehyde dimethyl acetal, 99+%	189	Chlorobenzene, 99+%
459	Benzaldehyde, 98+%	111	Chloroform
734	Benzamide, 99%	864	Chloroform-d, 100%
736	Benzanilide	922	Chloromethyl ethyl ether, 96%
136	Benzene, 99+%	761	Cholestane, 99+%
868	Benzene-d6, 100%	763	Cholesterol, 98%
346	Benzhydrol, 99%	771	Cholesteryl acetate, 97%
452	Benzil	188	Chrysene, 95%
592	Benzilic acid, 99+%	345	Cinnamyl alcohol, 98%
597	Benzoic acid, 99+%	421	Citral, 95%, (Z) + (E)
446	Benzoin, 98%	587	Citric acid, 99.5+%
554	Benzonitrile, 99+%	904	Cobalt(II) acetylacetonate
451	Benzophenone, 99%	732	Colchicine
983	Benzoyl chloride, 99+%	835	Congo Red (C.I. 22120)
707	Benzoyl peroxide	742	Copper phthalocyanine
883	Benzoylferrocene	705	Coumarin
690	Benzyl acetate, 99+%	750	Creatinine
341	Benzyl alcohol, 99+%	842	Cresol Red
191	Benzyl chloride, 97%	420	Crotonaldehyde, 85%
976	Benzyl ether, 99%	576	Crotonic acid, 98%
852	Benzyl mercaptan, 99%	260	Crotyl alcohol, 97%, mixture of isomers
853	Benzyl sulfide, 98%	140	Cumene, 99%
425	Benzylacetone, 98%	265	Cyclobutanol, 99+%
551	Benzylamine, 99%	389	Cyclobutanone, 99%
145	Bibenzyl	510	Cyclobutylamine, 98%
82	Bicyclo[2.2.1]hepta-2,5-diene, 99%	399	Cyclodecanone, 96%
171	Biphenyl, 99%	277	Cyclododecanol, 99%
877	Bis(tributyltin) oxide, 96%	400	Cyclododecanone, 99+%
872	Borane-pyridine complex	50	Cycloheptane, 99%
871	Borane-trimethylamine complex	276	Cycloheptanol, 97%
893	Boric acid, 99+%	398	Cycloheptanone, 97%
874	Boron trifluoride etherate	76	Cycloheptatriene, tech., 90%
190	Bromobenzene, 99%	61	Cycloheptene, 99+%
105	Bromochloromethane, 98%	49	Cyclohexane, 99+%
846	Bromocresol Green	267	Cyclohexanol, 99%
847	Bromocresol Green, water soluble	391	Cyclohexanone, 99.8%,
85	Bromoethane, 98%	937	Cyclohexene oxide, 98%
844	Bromophenol Blue	60	Cyclohexene, 99%
845	Bromophenol Blue, water soluble	134	Cyclohexyl bromide, 95%
772	Brucine .2H2O	133	Cyclohexyl chloride, 99%
647	Butyl acetate, 99+%	512	Cyclohexylamine, 99%
917	Butyl ether, 99%	62	Cyclooctene, 95%
642	Butyl formate, 97%	911	Cyclopentadienylmolybdenum tricarbonyl dimer, 98%
965	Butyl phenyl ether, 99%	886	Cyclopentadienyltitanium trichloride
925	Butyl vinyl ether, 98%	48	Cyclopentane, 98%
485	Butylamine, 99+%,	266	Cyclopentanol, 99%
141	Butylbenzene, 99+%	739	Cyclopentanone oxime
411	Butyraldehyde, 99%	390	Cyclopentanone, 99+%,
711	Butyramide	936	Cyclopentene oxide, 98%
562	Butyric acid, 99+%	59	Cyclopentene, 99%
687	Butyric anhydride, 99%	132	Cyclopentyl bromide, 98%
433	Butyrophenone, 99%	131	Cyclopentyl chloride, 98%
759	Caffeine, 99%	511	Cyclopentylamine, 99%
901	Calcium phosphate, tribasic		

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
509	Cyclopropylamine, 98%	679	Ethyl bromoacetate, 97%
287	D-(+)-Glucose	657	Ethyl butyrate, 99%
289	D-(-)-Fructose, 98%	676	Ethyl crotonate, 96%
286	D-(-)-Ribose	641	Ethyl formate, 97%
727	D-Biotin, 99%	659	Ethyl isobutyrate, 99%
288	D-Galactose	661	Ethyl isovalerate
424	D-Glyceraldehyde	848	Ethyl mercaptan; Ethanethiol, 97%
586	D-Tartaric acid, 99+%	691	Ethyl phenylacetate, 99%
951	DL-Alanine, 99%	654	Ethyl propionate, 97%
979	DL-Phenylalanine, 99%	681	Ethyl pyruvate, 98%
955	DL-Proline, 99%	696	Ethyl salicylate, 99%
857	Dansyl chloride, 98%	923	Ethyl vinyl ether, 99%
887	Decaborane(14)	377	Ethyl vinyl ketone
56	Decahydronaphthalene, trans-, 99%	138	Ethylbenzene, 99%
6	Decane, 99+%	54	Ethylcyclohexane, 99+%
567	Decanoic acid, 99+%	52	Ethylcyclopentane, 99+%
434	Deoxybenzoin, 97%	920	Ethylene glycol diethyl ether, 95%
713	Diacetamide, 98%	919	Ethylene glycol dimethyl ether, 99+%
515	Diallylamine, 97%	251	Ethylene glycol, 99+%
104	Dibromomethane, 99%	497	Ethylenediamine, 99+%,
700	Dibutyl phthalate, 99%	949	Ethylenediaminetetraacetic acid, 99%
503	Dibutylamine, 99%	950	Ethylenediaminetetraacetic acid, disodium salt .2H <sub>2</sub> O, 99+%
888	Dichlorodiammineplatinum(II), cis-, 99.99%	324	Eugenol, 99%
103	Dichloromethane, 99+%	905	Ferric acetylacetonate
83	Dicyclopentadiene, 95%	881	Ferrocenecarboxaldehyde, 98%
663	Diethyl carbonate, 99%	884	Ferrocenecarboxylic acid, 97%
677	Diethyl maleate, tech., 90%	182	Fluorene, 98%
666	Diethyl malonate, 99%	837	Fluorescein
699	Diethyl phthalate, 99%	380	Fluoroacetone, 98%
667	Diethyl succinate, 99%	709	Formamide, 99%
501	Diethylamine, 98%	559	Formic acid, 98%
504	Diisobutylamine, 99%	579	Fumaric acid, 99+%
913	Dimanganese decacarbonyl	529	Fumaronitrile, 98%
669	Dimethyl adipate, 98%	743	Furan, 99+%
678	Dimethyl fumarate, 97%	747	Furfuryl acetate, 99%
668	Dimethyl glutarate, 98%	264	Geraniol, 98%
665	Dimethyl malonate, 97%	285	Glycerol, 99.5%
664	Dimethyl oxalate, 99%	948	Glycine, 98%
698	Dimethyl phthalate, 99%	717	Glycylglycine, 98%
850	Dimethyl sulfoxide; Methyl sulfoxide, 99.9%	299	Guaiacol, 98%
738	Dimethylglyoxime, 99+%	416	Heptaldehyde, 95%
572	Dimethylmalonic acid, 98%	3	Heptane, 99+%
701	Diethyl phthalate, 98%	565	Heptanoic acid, 96%
534	Diphenylamine, 99+%	488	Heptylamine, 99%
879	Diphenylmercury	116	Hexachloroethane
860	Diphenylphosphine	167	Hexamethylbenzene, 99+%
870	Diphenylsilane, 99%	519	Hexamethylenetetramine, 99+%,
502	Dipropylamine, 99%	415	Hexanal, 99%
839	Eosin B	2	Hexane, 99+%
838	Eosin Y	564	Hexanoic acid, 99%
764	Ergosterol, 98%	652	Hexyl acetate, 99%
516	Ethanolamine, 99%	212	Hexyl alcohol, 98%
914	Ether; Diethyl ether	487	Hexylamine, 99%
645	Ethyl acetate, 99.5+%	594	Homovanillic acid, 98%
682	Ethyl acetoacetate, 99%	334	Hydroquinone, 99+%
674	Ethyl acrylate, 99%	749	Imidazole, 99%
208	Ethyl alcohol	150	Indane, 97%
693	Ethyl benzoate, 99+%	179	Indene, 99+%
		755	Indole, 99+%

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
86	Iodoethane, 99%	753	N(a)-Acetyl-L-histidine .H2O, 99+%
912	Iron pentacarbonyl	752	N(w)-Acetylhistamine, 98%
651	Isoamyl acetate, 99%	508	N,N,N',N'-Tetramethylethylenediamine, 99%
493	Isoamylamine	715	N,N-Dimethylacetamide, 99+%
643	Isobutyl formate, 98%	535	N,N-Dimethylaniline, 99%
412	Isobutyraldehyde, 98%	507	N,N-Dimethylethylenediamine, 95%
892	Kaolin	714	N,N-Dimethylformamide, 99+%
135	L-(-)-Menthyl chloride, 99+%	723	N-Acetyl-L-methionine, 98+%
685	L-Ascorbic acid	533	N-Methylaniline, 99+%
720	L-Asparagine .H2O, 99%	518	N-Methylpiperidine, 99%
957	L-Aspartic acid, 98+%	181	Naphthalene, 99+%
670	L-Bornyl acetate, 97%	218	Neopentyl alcohol, 99%
981	L-Dopa; L-3,4-Dihydroxyphenylalanine	492	Neopentylamine, 98%
958	L-Glutamic acid, 99%	788	Nicotinamide, 99+%
721	L-Glutamine, 99%	786	Nicotinic acid, 98%
751	L-Histidine, 98%	450	Ninhydrin
585	L-Lactic acid	801	Nitrobenzene, 99+%
953	L-Leucine, 99%	798	Nitroethane, 99.5%
956	L-Lysine	797	Nitromethane, 96%
954	L-Serine, 98%	5	Nonane, 99%
756	L-Tryptophan, 99%	566	Nonanoic acid, 98%
980	L-Tyrosine, 99+%	417	Nonyl aldehyde, 98%
952	L-Valine, 99%	278	Norborneol, endo-, 98%
896	Lead nitrate, 99.9999%	78	Norbornylene, 99%
589	Levulinic acid, 95%	995	Nylon 6/6
578	Linoleic acid, 99%	4	Octane, 99+%
899	Magnesium sulfate, 99.999%	489	Octylamine, 97%
580	Maleic acid, 99%	570	Oxalic acid, 98%
689	Maleic anhydride, 99%	890	Palladium(II) acetate
571	Malonic acid, 99%	918	Paraformaldehyde
908	Mercury tetrathiocyanatocobaltate(II), 99.99%	166	Pentamethylbenzene, 99%
379	Mesityl oxide	1	Pentane, 99+%
162	Mesitylene, 99%	187	Phenanthrene, 98+%
419	Methacrolein, 98%	841	Phenol Red
834	Methyl Orange, water soluble	295	Phenol, 99+%
644	Methyl acetate, 99%	836	Phenolphthalein
673	Methyl acrylate, 99%	702	Phenyl acetate, 97%
207	Methyl alcohol, 99.9%	694	Phenyl benzoate, 99%
692	Methyl benzoate, 99%	975	Phenyl ether, 99+%
656	Methyl butyrate, 99%	558	Phenyl isocyanate, 98+%
658	Methyl isobutyrate, 99%	703	Phenyl salicylate, 96%
675	Methyl methacrylate, 99%	590	Phenylacetic acid, 99%
653	Methyl propionate, 98%	831	Phenylacetylene, 98%
695	Methyl salicylate, 98%	593	Phenylsuccinic acid, 98%
662	Methyl trimethylacetate, 99%	619	Phthalic acid, 99+%
660	Methyl valerate, 99%	708	Phthalic anhydride, 99%
376	Methyl vinyl ketone, 99%	821	Picric acid, 98%
53	Methylcyclohexane, 99%	256	Pinacol
51	Methylcyclopentane, 98%	359	Pinacolone, 95%
795	Methylene Blue	517	Piperidine, 98%
69	Methylenecyclobutane, 96%	733	Piperine
71	Methylenecyclohexane, 99+%	996	Poly(acrylonitrile)
70	Methylenecyclopentane, 98%	987	Poly(butadiene)
483	Methylhydrazine, 98%	988	Poly(butadiene), (Z)-
726	Methylurea, 97%	991	Poly(ethylene glycol), avg. m.w. 1,000
7	Mineral oil	990	Poly(ethylene glycol), avg. m.w. 14,000
521	Morpholine, 99+%	984	Poly(ethylene), high density
568	Myristic acid, 99.5+%	986	Poly(ethylene:propylene), low m.w.
722	N(6)-Acetyl-L-lysine, 99%	999	Poly(ethylene:vinyl acetate)

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler

<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
993	Poly(methyl methacrylate)	688	Succinic anhydride, 99%
994	Poly(methyl methacrylate), medium m.w.	291	Sucrose, 99+%
985	Poly(propylene), isotactic	858	Sulfanilamide, 98%
997	Poly(styrene)	854	Sulfanilic acid, anhydrous, 99%
998	Poly(styrene:acrylonitrile), 25% acrylonitrile	620	Terephthalic acid, 98%
992	Poly(vinyl alcohol), 98% hydrolyzed, m.w. 126,000	769	Testosterone
989	Poly(vinyl chloride)	523	Tetrabutylammonium bromide, 99%
907	Potassium dichromate	130	Tetrachloroethylene, 99+%
895	Potassium ferrocyanide .3H <sub>2</sub> O, 99%	737	Tetracycline .HCl, 98%
982	Potassium hydrogen phthalate, 99.95-100.05%	940	Tetrahydrofuran, 99.5+%
910	Potassium perrhenate(VII), 99.99%	943	Tetrahydropyran, 99+%
697	Procaine, 99+%	522	Tetramethylammonium chloride, 97%
767	Progesterone	873	Tetraphenylboron sodium, 99+%
928	Propionaldehyde diethyl acetal, 97+%	430	Tetraphenylcyclopentadienone, 98%
410	Propionaldehyde, 97%	178	Tetraphenylethylene, 98%
561	Propionic acid, 99%	878	Tetraphenyllead, 97%
525	Propionitrile, 99%	754	Thiazole, 99%
961	Propionyl chloride, 97%	748	Thiophene, 99+%
432	Propiophenone, 99%	963	Thiophosgene
646	Propyl acetate, 99%	321	Thymol, 98%
915	Propyl ether, 99+%	577	Tiglic acid, 98%
484	Propylamine, 98%	137	Toluene, 99+%
139	Propylbenzene, 98%	584	Trichloroacetic acid, 99+%
935	Propylene oxide, 99%	129	Trichloroethylene, 98%
757	Purine, 99%	505	Triethylamine, 99%
773	Pyridine, 99+%	582	Trifluoroacetic acid, 99%
789	Pyrimidine, 99%	929	Trimethyl orthoformate, 98%
332	Pyrogallol	526	Trimethylacetone, 98%
740	Pyrrole, 98%	863	Triphenyl phosphate, 98%
588	Pyruvic acid, 95%	536	Triphenylamine, 98%
57	Quadricyclane	876	Triphenylarsine, 97%
792	Quinine	146	Triphenylmethane, 97%
790	Quinoline, 99%	348	Triphenylmethanol, 97%
520	Quinuclidine	862	Triphenylphosphine oxide
333	Resorcinol, 98%	861	Triphenylphosphine, 99%
840	Rhodamine B base	506	Tripropylamine, 98%
1000	Rubber, chlorinated	356	Triton X-100
859	Saccharin, 98+%	725	Urea, 99+%
974	Safrole, 97%	716	Urethane, 99%
463	Salicylaldehyde, 98%	595	VMA; DL-Vanillomandelic acid, 95%
735	Salicylamide, 99%	414	Valeraldehyde, 99%
602	Salicylic acid, 99+%	563	Valeric acid, 99%
326	Sesamol, 98%	527	Valeronitrile, 99%
869	Silicone oil	479	Vanillin, 99%
889	Silver nitrate, 99.997+%	966	Veratrole, 99%
894	Sodium borohydride, 98+%	671	Vinyl acetate, 99+%
903	Sodium carbonate, anhydrous, 99.95-100.05%	117	Vinyl bromide, 98%
875	Sodium methoxide, anhydrous	331	Vitamin E
900	Sodium sulfate, 99.999%	967	Xanthene, 99%
18	Squalane, 99%	758	Xanthine, 98%
47	Squalene, 98%	457	Xanthone, 99%
569	Stearic acid, 95%	605	a,a,a-Trifluoro-m-toluic acid, 99%
977	Stilbene oxide, trans-	599	a,a,a-Trifluoro-o-toluic acid, 98%
168	Styrene, 99+%	612	a,a,a-Trifluoro-p-toluic acid, 98%
573	Succinic acid, 99%	292	a-Cyclodextrin .H <sub>2</sub> O
		404	a-Ionone, 97%
		938	a-Pinene oxide, 95%
		436	a-Tetralone, 98%
		293	b-Cyclodextrin .H <sub>2</sub> O
		939	b-Pinene oxide, 90+%

**ThermoFisher**  
S C I E N T I F I C

(c) 2007 Thermo Fisher Scientific Inc. All rights reserved.

## Thermo Nicolet Condensed Phase Academic Sampler



<u>Index</u>	<u>Compound Name</u>	<u>Index</u>	<u>Compound Name</u>
724	e-Caprolactam, 99+%	474	o-Vanillin, 99%
684	e-Caprolactone, 99%	147	o-Xylene, 97%
294	g-Cyclodextrin	471	p-Anisaldehyde, 98%
683	g-Valerolactone, 98%	614	p-Anisic acid, 98%
467	m-Anisaldehyde, 99%	544	p-Anisidine, 99+%
607	m-Anisic acid, 98%	408	p-Benzoquinone, 99+%,
542	m-Anisidine, 97%	302	p-Cresol, 99+%
843	m-Cresol Purple	157	p-Cymene, 98%
300	m-Cresol, 99+%	199	p-Dichlorobenzene, 99+%
196	m-Dichlorobenzene, 98%	156	p-Diethylbenzene, 98%
153	m-Diethylbenzene, 99%	818	p-Dinitrobenzene, 98%
812	m-Dinitrobenzene, 97%	545	p-Phenetidine, 98%
173	m-Terphenyl, tech., 90%	174	p-Terphenyl, 99+%
465	m-Tolualdehyde, 97%	855	p-Toluenesulfonyl chloride, 99+%
604	m-Toluic acid, 99%	610	p-Toluic acid, 98%
541	m-Toluidine, 97%	543	p-Toluidine, 99.9%
556	m-Tolunitrile, 99%	557	p-Tolunitrile, 98%
151	m-Xylene, 99%	154	p-Xylene, 99%
462	o-Anisaldehyde	142	sec-Butylbenzene, 99+%
601	o-Anisic acid, 99%	342	sec-Phenethyl alcohol, 98%
539	o-Anisidine, 99+%	245	t-Amyl alcohol, 99+%
296	o-Cresol, 99+%	649	t-Butyl acetate, 99+%
193	o-Dichlorobenzene, 99+%	916	t-Butyl ethyl ether, 99%
149	o-Diethylbenzene, 95%	244	t-Butyl hydroperoxide, 90%
807	o-Dinitrobenzene, 99%	531	t-Butyl isocyanate, 97%
172	o-Terphenyl	655	t-Butyl propionate, 99%
460	o-Tolualdehyde, 99%	491	t-Butylamine, 98%
598	o-Toluic acid, 98+%	143	t-Butylbenzene, 99%
537	o-Toluidine, 99+%	55	t-Butylcyclohexane, 99+%
555	o-Tolunitrile, 98%	880	t-Pentylferrocene, 98%