



SP/X
 Stainless Steel Rotor
 10-Place, 50 ml
 Tube Dimensions:
 30 × 115 mm or
 17 × 120 mm
 Fixed-Angle: 35°
 Maximum Speed: 6,000 rpm
 Rotor Mass: 2.8 kg

	RCF (g)	R (cm)
Max.	4,962	12.34
Min.	1,858	7.15

For use in RC-3,¹ GLC-2B,¹ and GLC-3¹ centrifuges

Catalog No. 35115

Includes:
 SP/X Rotor Tube Holders **00503**
 Rotor Cover Instruction Manual **33032**

TUBES, BOTTLES

CAPACITY (ml)		DESCRIPTION	MAX SPEED (rpm)	DIMENSIONS (mm)	TUBE CAT. NO. (Qty/Pkg)	SEALING ASSEMBLY*		ADAPTER REQ'D		NOTES
NOMINAL	FILL					CAT. NO. (Qty/Pkg)	DESCRIPTION	CAT. NO. (Qty/Pkg)	NO. OF PLACES	
50	—	Tissue Culture Tube, Conical	—	30 × 115	—	—	—	—	—	Maximum number of tubes per rotor is 5.
50	37	Polypropylene Flanged Tube	6,000	29 × 102	03147 (25)	03268 (25)	Polypropylene, Snap-on	03666 (8)	1	
50	39	Polycarbonate Flanged Tube	6,000	29 × 102	03146 (25)	03268 (25)	Polypropylene, Snap-on	03666 (8)	1	
50	46	Polyallomer Thin-Walled Tube	6,000	28 × 104	03139 (25)	—	—	—	—	
50	41	Polypropylene Oak Ridge Bottle	6,000	28 × 103	03530 (25)	03535 (25)	Polypropylene, Sealing	—	—	
50	38	Polycarbonate Oak Ridge Bottle	6,000	28 × 103	03480 (25)	03535 (25)	Polypropylene, Sealing	—	—	
50	50	Stainless Steel Flanged Tube	6,000	28 × 101	00517 (1)	00518 (1)	Stainless Steel, Sealing	—	—	Requires Wrench 01014 for tube sealing.
50	50	Stainless Steel Tube	6,000	28 × 101	00579 (1)	00518 (1)	Stainless Steel, Sealing	—	—	Requires Wrench 01014 for tube sealing.
45	—	Pyrex® Tube	—	29 × 101	—	—	—	03666 (8)	1	
35	—	Polyallomer Nalgene® Conical Oak Ridge Tube	—	29 × 105	—	—	—	See Notes	1	Requires Nalgene® adapter 3147-0050 .
35	—	Polycarbonate Nalgene® Conical Oak Ridge Tube	—	29 × 105	—	—	—	See Notes	1	Requires Nalgene® adapter 3147-0050 .
30	28	Polycarbonate Oak Ridge Bottle	6,000	25 × 94	03719 (25)	03276 (25)	Polypropylene, Sealing	00419 (1)	1	Nonsealing Cap 03925 (25/pkg) available.
30	28	Polypropylene Oak Ridge Bottle	6,000	25 × 94	03718 (25)	03276 (25)	Polypropylene, Sealing	00419 (1)	1	Nonsealing Cap 03925 (25/pkg) available.
30	31	Corex® Tube	6,000	24 × 105	03163 (10)	—	—	00368 (1)	1	Tube no longer available

⁽¹⁾Instrument no longer available.

(continued on next page)

*Sealing assembly parts may be available. See section E for availability.

TUBES, BOTTLES FOR SP/X (continued)

CAPACITY (ml)		DESCRIPTION	MAX SPEED (rpm)	DIMENSIONS (mm)	TUBE CAT. NO. (Qty/Pkg)	SEALING ASSEMBLY*		ADAPTER REQ'D		NOTES
NOMINAL	FILL					CAT. NO. (Qty/Pkg)	DESCRIPTION	CAT. NO. (Qty/Pkg)	NO. OF PLACES	
16	13	Polypropylene Flanged Tube	6,000	18 × 100	03244 (50)	03299 (50)	Polypropylene, Snap-on	00382 (1)	1	
16	14	Polycarbonate Flanged Tube	6,000	18 × 100	03243 (50)	03269 (50)	Polypropylene, Snap-on	00382 (1)	1	
15	12	Corex® Tube	6,000	18 × 102	03286 (25)	—	—	00363 (1)	1	
15	—	Urinalysis Tube, Conical	—	17 × 120	—	—	—	00363 (1)	1	
15	—	Tissue Culture Tube, Conical	—	17 × 120	—	—	—	00363 (1)	1	
12	12	Pyrex® Tube	5,000	18 × 102	03109 (50)	—	—	00363 (1)	1	
12	10	Polypropylene Flanged Tube	6,000	16 × 100	03116 (50)	03266 (50)	Polypropylene, Snap-on	00402 (1)	1	
12	11	Polycarbonate Flanged Tube	6,000	16 × 100	03115 (50)	03266 (50)	Polypropylene, Snap-on	00402 (1)	1	
10	—	Isolator™ ⁽¹⁾ (round bottom)	—	16 × 100	—	—	—	00363 (1)	1	
10	—	Vacutainer® Tube	—	16 × 100	—	—	—	00363 (1)	1	
10	—	Pyrex® Graduated Tube, Conical	—	18 × 100	—	—	—	00367 (1)	1	
10	9.1	Polypropylene Oak Ridge Bottle	6,000	16 × 83	03929 (50)	03279 (25)	Polypropylene, Sealing	00425 (1)	1	Nonsealing Cap 03924 (25/pkg) available.
10	9.7	Polycarbonate Oak Ridge Bottle	6,000	16 × 83	03020 (25)	03279 (25)	Polypropylene, Sealing	00425 (1)	1	Nonsealing Cap 03924 (25/pkg) available.
10	9	Polyallomer Thin-Walled Flanged Tube	6,000	13 × 100	03124 (50)	—	—	00473 (1)	1	
10	—	Pyrex® Tube	—	13 × 100	—	—	—	00373 (1)	1	
7	6	Polycarbonate Flanged Tube	6,000	13 × 100	03120 (50)	03265 (50)	Polypropylene, Snap-on	00473 (1)	1	
7	6	Polypropylene Flanged Tube	6,000	13 × 100	03121 (50)	03265 (50)	Polypropylene, Snap-on	00473 (1)	1	
7	—	Vacutainer® Tube	—	13 × 100	—	—	—	00366 (1)	1	
4	3	Polypropylene Flanged Tube	6,000	11 × 75	03105 (50)	03264 (50)	Polypropylene, Snap-on	00381 (1)	2	
4	3	Polycarbonate Flanged Tube	6,000	11 × 75	03104 (50)	03264 (50)	Polypropylene, Snap-on	00381 (1)	2	
4	—	Vacutainer® Tube	—	10.25 × 84	—	—	—	00364 (1)	2	
3	3	Pyrex® Tube	5,000	10 × 75	03100 (50)	—	—	00364 (1)	2	
2	2	Cellulose Acetate Butyrate Tube	6,000	7 × 75	03235 (50)	—	—	00410 (1)	4	
1.5	—	Microtube	6,000	—	—	—	—	00381 (1)	2	
1	1	Cellulose Acetate Butyrate Tube	6,000	7 × 50	03103 (50)	—	—	00408 (1)	4	

⁽¹⁾Isolator is a trademark of Wampole Labs, Cranbury, New Jersey.

*Sealing assembly parts may be available. See section E for availability.

All trademarks are the property of their respective owners.